

Weston Solutions, Inc. East Division 3 Riverside Drive Andover, Massachusetts 01810 978-552-2100 - Fax 978-658-0700

SUPERFUND TECHNICAL ASSESSMENT AND RESPONSE TEAM EPA CONTRACT EP-W-05-042

21 August 2013 20114-091-998-0850-49 DC No. A-6861

Ms. Martha Bosworth U.S. EPA Region I - New England Emergency Planning & Response Branch 5 Post Office Square, Suite 100 Mail Code OSRR07-2 Boston, Massachusetts 02109-3912

Subject:

Case No. 43395; SDG No. A4C22

ChemTech Consulting Group (Chem)

Jard Company Inc Bennington, Vermont

AROCLOR: 2/Soil/A4C22, A4C23

2/S011/A4C22, A4C25

(Field Duplicates A4C26/A4C30)

5/Aqueous Equipment Blanks/A4C19, A4B13, A4B14, A4B16,

A4B54

4/Soil PEs/A4C20, A4C21, A4C31, A4C32

CERCLIS No. VTD048141741

TDD No. 12-10-0008, Task No. 0850-49

Dear Ms. Bosworth:

A Tier II validation was performed on the organic analytical data for two soil samples and five aqueous equipment (rinsate) blanks collected by WESTON START at the Jard Company Inc site in Bennington, Vermont, and for four PE samples obtained from EPA Region I. *Italicized sample ID numbers in the list above are associated with samples in this SDG, but reported in another SDG.* The samples were re-analyzed under CLP following SOW SOM01.2 as low/medium level for Aroclor compounds, per direction of the Region. The data were evaluated as Tier II level in accordance with the "Region I EPA-NE Data Validation Functional Guidelines for Evaluating Environmental Analyses" dated December 1996, and the USEPA CLP National Functional Guidelines for Superfund Organic Methods, and were based on the following parameters:

- Overall Evaluation of Data and Potential Usability Issues.
- Data Completeness.
- * Preservation and Technical Holding Times.
- * GC/MS and GC/ECD Instrument Performance Checks.
- IC and CC.
- * Blanks.
- * Surrogate Compounds.
- NA IS.
- * MS/MSD.
- * Field Duplicates.

NA • Sensitivity Check (MDL Study or LFB).

* • PE Samples/Accuracy Check.

* • Target Compound Identification.

* • Sample Quantitation and Reported Quantitation Limits.

NA • TICs.

* • SVOC and PEST/PCB Cleanup.

* • System Performance.

NA • SEDD/ADR.

Table I summarizes overall evaluation of the data with reference to the DQO and potential usability issues. Qualified data are summarized in Data Summary Tables 1 and 2.

Overall Evaluation of Data and Potential Usability Issues

See Table I for overall evaluation of data and potential usability issues.

PE Samples/Accuracy Check

The criteria used by START for qualification of sample data based on the PE sample results are as follows:

	Action		
PE Score	Non-Detects	Positive Results	
In Window	Accept	Accept	
Warning Low/High	Accept	Accept	
Action Low	Reject (R)	Estimate (J)	
Action High	Accept	Estimate (J)	
TCL Misses	Reject (R)	Varies	
TCL Contaminants	Accept	Varies	
TIC Misses	Varies	Varies	
TIC Contaminants	Varies	Varies	

All non-compliant PE scores were investigated by checking raw data, calculations, calibrations, possible matrix interferences, and blank contamination. Unless otherwise noted, all results reported by the laboratory were found to be correct, based on the data generated by the laboratory.

The laboratory properly identified and quantified the soil Aroclor-1242 PE sample (A4C31, PE No. ASX0179). No qualifications were applied.

Page 2 of 39

^{* =} No qualifications will be applied based on this parameter.

The laboratory properly identified and quantified the soil Aroclor-1242 PE sample (A4C20, PE No. ASX0182). No qualifications were applied.

The laboratory properly identified and quantified the soil Aroclor-1254 PE sample (A4C21, PE No. AS1486). No qualifications were applied.

The laboratory properly identified and quantified the soil Aroclor-1248 PE sample (A4C32, PE No. AS1431). No qualifications were applied.

Sample Quantitation and Reported Quantitation Limits

The percent moisture for sediment samples A4C22 and A4C23 was greater than 70% but less than 90%. The SOW indicates in Exhibit D, Aroclors, Section 10.1.4.3.2, that if a sample contains greater than 65% moisture, the laboratory may use up to 50 grams without contacting the Sample Management Office (SMO). Per direction of the Region, these two samples were re-extracted, reanalyzed, and validated in this SDG. A 50-gram extraction weight was used. These samples were originally validated in SDG A4C19.

Please contact the undersigned at (978) 552-2100 if you have any questions or need further information.

Very truly yours,

WESTON SOLUTIONS, INC. Region I START

William W. Mahany Principal Project Scientist

John Burton Lead Chemist

email cc:

Jennifer Feranda (CLP PO - Region II) - DV Letter w/Data Tables, and ORDA Form only -

Feranda.jennifer@epa.gov

Attachments:

Table I: Overall Evaluation of Soil Data

Data Summary Key Acronym List

Data Summary Table 1
DV Worksheets

PE Sample Score Reports (included in DV worksheets)

Field Sampling Notes (including a copy of sampler's COC Records)

CSF Audit (DC-2 Form) - Evidence Audit Photocopy (Including CSF Receipt/Transfer Form)

DQO Summary Form

Overall Evaluation of Soil Data

AROCLORs						
DQO (list all DQOs)	Sampling and/or Analytical Method Appropriate Yes or No	Measuren	nent Error Sampling Error*	Sampling Variability**	Potential Usability Issues	
1. To obtain sufficient data from surface and subsurface soil samples collected at the Jard Company site for PCB (Aroclor) analysis, to document potential source areas located on and off the property, and to document contamination in the soil and sediment associated with source areas located on the property.	Analytical Method: Yes, SOM01.2 Sampling Method: Yes, Hand Augers, and Stainless Steel Scoops.	Refer to qualifications in attached Data Summary Table 1.	Refer to qualifications in attached Data Summary Table 1.		None.	

The evaluation of "sampling error" cannot be completely assessed in data validation. Sampling variability is not assessed in data validation.

^{**}

DATA SUMMARY KEY ORGANIC DATA VALIDATION

J The associated numerical value is an estimated quantity. R The data are unusable (compound may or may not be present). Resampling and reanalysis are necessary for verification. The R replaces the numerical value or SQL. U The compound was analyzed for, but not detected. The associated numerical value is the SQL or the adjusted SQL. UJ The compound was analyzed for, but not detected. The associated numerical value is the estimated SQL. EBThe compound was identified in an aqueous EB that was used to assess field contamination associated with soil/sediment samples. The compound was identified in an aqueous TB that was used to assess field TB contamination associated with soil/sediment samples. BBThe compound was identified in an aqueous BB that was used to assess field contamination associated with soil/sediment samples.

ACRONYM LIST ORGANIC DATA VALIDATION

AQ	aqueous	SQL	Sample Quantitation Limit
AQ FB	aqueous field blank	S/S	soil/sediment
BB	Bottle Blank	S/S (m)	soil/sediment medium level
B/N	base/neutral compound	STARŤ	Superfund Technical Assessment
$^{\circ}\mathrm{C}$	degrees Celsius		and Response Team
CC	Continuing Calibration	SVOC	semivolatile organic compound
CCV	Continuing Calibration	sw	surface water
	Verification	TB	Trip Blank
CLP	Contract Laboratory Program	TCL	Target Compound List
COC	Chain-of-Custody record	TDD	Technical Direction Document
COR	Contracting Officer Representative	TIC	Tentatively Identified Compound
CRQL	Contract Required Quantitation	TR	Traffic Report
OTTQL	Limit	VOC	volatile organic compound
CSF	Complete SDG File	WESTON	Weston Solutions, Inc.
%D	percent difference	WESTON	weston solutions, me.
DAS	Delivery of Analytical Services		
DMC	Deuterated Monitoring Compound		
DQO	Data Quality Objective		
DV	Data Validation		
DW	drinking water		
EB			
EPA	Equipment Blank Environmental Protection Agency		
GC/ECD	Gas Chromatograph/Electron		
CCAMC	Capture Detector		
GC/MS	Gas Chromatograph/Mass		
CIV	Spectrometry		
GW	groundwater		
IC ·	Initial Calibration		
IS	Internal Standard		
kg	kilogram		
L	liter		
LCS	Laboratory Control Sample		
LFB	Laboratory Fortified Blank		
MDL	Method Detection Limit		
μg	microgram		
MS	Matrix Spike		
MSD	Matrix Spike Duplicate		
NA	Not Applicable		
ND	non-detected result		
ng	nanogram		
NERL	New England Regional Laboratory		
OSC	On-Scene Coordinator		
ORDA	Organic Regional Data		
	Assessment		
PAH	polynuclear aromatic hydrocarbon		
PCB	polychlorinated biphenyl		
	compound		
PEST/PCB	pesticide/polychlorinated biphenyl		
	compound		
PE	Performance Evaluation		
Pos	positive result		
QC	Quality Control		
%R	percent recovery		
RPD	Relative Percent Difference		
RRF	Relative Response Factor		
RSD	Relative Standard Deviation		
SDG	Sample Delivery Group		
SOW HRS Reference #			
HRS Reference #	76		Page 7 of 3
			•

SITE: JARD COMPANY INC CASE: 43395 SDG: A4C22 LABORATORY: CHEMTECH

CONSULTING GROUP

DATA SUMMARY TABLE 1 AROCLOR IN SOIL ANALYSIS $\mu g/Kg$

	SAMI	PLE NUMBER	A4C22	A4C23			
	SAMPL	E LOCATION	SD-51	SD-50			
	STATIO	N LOCATION	JCS-559	JCS-556			
	LABORATO	RY NUMBER	E1925-04	E1925-05			
COMPOUND	MDL	CRQL					
Aroclor-1016	1.8	33	71 U	120 U			
Aroclor-1221	5.4	33	71 · U	120 U			
Aroclor-1232	0.90	33	71 U	120 U			
Aroclor-1242	4.3	33	71 U	120 U			
Aroclor-1248	1.9	33	71 U	120 U			
Aroclor-1254	2.2	33	71 U	120 U			
Aroclor-1260	2.2	33	71 U	120 U			
Aroclor-1262	9.8	33	71 U	120 U			
Aroclor-1268	4.6	33	71 U	120 U			
	DILUT	ION FACTOR	1.0	1.0			
	DA [*]	TE SAMPLED	4/16/2013	4/16/2013			
	DATE	EXTRACTED	5/31/2013	5/31/2013			
	DAT	E ANALYZED	6/3/2013	6/3/2013			
	SAMPLE WEI	GHT (GRAMS)	50.0	50.1			
		% SOLID	28.0	17.0			

NOTES: μg/Kg = micrograms per Kilogram

All results are reported on a Dry Weight Basis.

CRQL = Contract Required Quantitation Limit

MDL = Method Detection Limit

U = Value is Non-Detected.

UJ = Value is Non-Detected, and Detection Limit is Estimated.

J = Value is Estimated.

R = Value is Rejected.

* = Reported value is from diluted analysis.

REGION I, EPA-NE ORGANIC REGIONAL DATA ASSESSMENT (ORDA)*

Case No.: <u>43395</u>		Site Name; Jard	Compan	y Inc
SDG No.: <u>AYC</u>		No. of Samples/Mat <u>rix</u>		
SDG No.: AYCZZ Lab Name: Chemtech		Validation Contracto M	•	****
SOW#/Contract#: SOM01.2		Validator's Name:	Mahany	
EPA-NE DV Tier Level:Tier II		Date DP Rec'd by EP	A-NE:	
TPO/PO: **ACTION FYI		DV Completion Date:	7/16/1	3
ANALYTICAL DATA QU	JALITY SU	MMARY		
 Preservation and Contractual Holding Times: GC/MS / GC/ECD Instrument Performance Check: Initial Calibration: Continuing Calibration: Blanks: DMCs or Surrogate Compounds: Internal Standards: Matrix Spike/Matrix Spike Duplicate: Sensitivity Check: PE samples - Accuracy Check: Target Compound Identification: Compound Quantitation and Reported QLs: Tentatively Identified Compounds: Semivolatile Cleanup/Pesticide/PCB Cleanup: Data Completeness: Overall Evaluation of Data: Data were qualified due to major contractual problems Data were rejected as unusable due to major contractual Action Items (z items):	3.		PEST NA NA	NA NA
Areas of Concern (m items):				
Comments:				
*This form assesses the analytical data quality in items of errors and/or non-contractual analytical issues that affect of			pes not assess s	ampling
** Check "ACTION" only if contractual defects resulted in	reduced pa	ayment/data rejection re	ecommendations	i.
Validator: Mahany	D	ate: 7/1/3		

Site Name:	Jan Company	Jn C
TDD No.:	12-10-0008	
Task No.:	0850	

REGION I ORGANIC DATA VALIDATION

			,		
The followin	g data package has been validated:				
Lab Name:_	Chennitech Consulting G	orp.	SOW #/Contract #:	SOM01.2	
Case No.: _	43395		Sampling Dates:	4/16/13	
SDG No.: _	AY (22		Shipping Dates:	4/18/13	
No. of Samp	oles/Matrix:		Date Rec'd by Lab:	4/19/13	
		•		• **	
٦	Fraffic Report Sample <u>Nos: A Y C ン</u>	1, 623			_
					_
7	Гrip Blank No.:	-			_
	Equipment Blank No:				_
	Field Duplicate Nos:				
F	PE Nos:				
				•	
The Region	I, EPA - NE Data Validation Functiona	l Guidalinas for F	Evaluating Environment	ral Analysis	
revision 12/9	96 was used to evaluate the data and/o	or approved mod	ifications to the EDA A	al Allalyses,	
Guidelines v	vere used to evaluate the data and are	attached to this	cover page: (attached r	nc Functional modified	
	EPA approved QAPjP or amendment		oover page: (attached i	nouncu	
		<u></u> <u></u> <u></u>			
A Tier II or a	Tier III evaluation was used to validate	e the data. If a Ti	er II validation with a pa	artial Tier III	
was used, th	nen identify samples, parameters, etc. t	that received par	tial Tier III validation:		
Ť					_
The data we	re evaluated based upon the following	parameters:			
- Overall Ev	aluation of Data		Field Duplicates		
	oleteness (CSF Audit - Tier I)		Field DuplicatesSensitivity Check		
	on and Technical Holding Times		- PE Samples/Accura	cy Check	
	d GC/ECD Instrument Performance Ch	neck	- Target Compound k		
	Continuing Calibrations		- Compound Quantita		
- Blanks			Quantitation Limits		
- Surrogate (Compounds		-TICs		
 Internal Sta 	andards		-Semivolatile and Pes	sticide/PCB Cleanup	
- Matrix Spik	e/Matrix Spike Duplicate		- System Performano		
Region I Def	finitions and Qualfiers:				
A - Acceptat		e			
J - Numerica D - The date	al value associated with compound is a	in estimated qua	ntity.	P1 P P 21	
	are rejected as unusable. The R repland not detected at that numerical samp			ntitation limit.	
	not detected at that numerical samp nple quantitation limit is an estimated o		IIIIL.		
	mpound detected in aqueous trip blank		inment hlank associate	d with soil/sadiment s	amples
, 501	actobics in addocate tilp blatin	. S. aqaoodo oqu	האוויסות אומוות מססטומנכ	with somsediffell S	ampies.
Validator's N	ion Started: 7/9/13	Company	Name: WESTON	Phone Number: 978-	<u>-552-2100</u>
_	21.1.2	-			
Date Validat	ion Started: 7/19/15	Date V	alidation Completed:	7/10/13	

EPA - NE

Data Validation Worksheet Cover Page - Page 2

Check if all criteria are met and no hard copy worksheet provided. Indicate NA if worksheet is not applicable to analytical method. Note: There is no standard worksheet for System Performance, however, the validator must document all system performance issues in the Data Validation Memorandum.

VOA/SV Worksheets:

VOA/SV-Pest/PCB-I VOA/SV-II VOA/SV-III VOA/SV-III VOA/SV-IV VOA/SV-Pest/PCB-V-A VOA/SV-Pest/PCB-V-B VOA-VI SV-VI VOA/SV-VII VOA/SV-Pest/PCB-VIII VOA/SV-Pest/PCB-IX VOA/SV-Pest/PCB-X VOA/SV-Pest/PCB-XI VOA/SV-Pest/PCB-XIII VOA/SV-Pest/PCB-XIII VOA/SV-Pest/PCB-XIII VOA/SV-Pest/PCB-XIII VOA/SV-Pest/PCB-XIIII VOA/SV-XV VOA/SV-XV	COMPLETE SDG FILE (CSF) AUDIT PRESERVATION AND HOLDING TIMES GC/MS INSTRUMENT PERFORMANCE CHECK (TUNING) INITIAL CALIBRATION CONTINUING CALIBRATION BLANK ANALYSIS BLANK ANALYSIS VOA SURROGATE SPIKE RECOVERIES SV SURROGATE SPIKE RECOVERIES INTERNAL STANDARD PERFORMANCE MATRIX SPIKE/MATRIX SPIKE DUPLICATE FIELD DUPLICATE PRECISION SENSITIVITY CHECK ACCURACY CHECK/ PE SCORE SHEETS TARGET COMPOUND IDENTIFICATION SAMPLE QUANTITATION TENTATIVELY IDENTIFIED COMPOUNDS SEMIVOLATILE CLEANUP	NA @ NA
TABLE II - WORKSHEET	OVERALL EVALUATION OF DATA	* \(\)

Pest/ARO Worksheets:

VOA/SV-Pest/PCB VOA/SV-Pest/PCB-I	COMPLETE SDG FILE (CSF) AUDIT PRESERVATION AND HOLDING TIMES	
Pest/PCB-IIA	GC/ECD INSTRUMENT PERFORMANCE CHECK- RESOLUTION	
Pest/PCB-IIB	GC/ECD INSTRUMENT PERFORMANCE CHECK- RETENTION TIMES	
Pest/PCB-IIC	GC/ECD INSTRUMENT PERFORMANCE CHECK- ACCURACY CHECK OF INITIAL CALIBRATION	
Pest/PCB-IID	GC/ECD INSTRUMENT PERFORMANCE CHECK- PESTICIDE DEGRADATION	
Pest/PCB-III	INITIAL CALIBRATION	
Pest/PCB-IV	CONTINUING CALIBRATION	
VOA/SV-Pest/PCB-V-A	BLANK ANALYSIS	
VOA/SV-Pest/PCB-V-B	BLANK ANALYSIS	
Pest/PCB-VI	SURROGATE COMPOUNDS: SPIKE RECOVERIES	
	AND RETENTION TIME SHIFT	
Pest/PCB-VII	PESTICIDE CLEANUP	
VOA/SV-Pest/PCB-VIII	MATRIX SPIKE/MATRIX SPIKE DUPLICATE	
VOA/SV-Pest/PCB-IX	FIELD DUPLICATE PRECISION	
VOA/SV-Pest/PCB-X	SENSITIVITY CHECK	NA
VOA/SV-Pest/PCB-XI	ACCURACY CHECK/ PE SCORE SHEETS	@
Pest/PCB-XII	COMPOUND IDENTIFICATION	
VOA/SV-Pest/PCB-XIII	SAMPLE QUANTITATION	inel &B
TABLE II - WORKSHEET	OVERALL EVALUATION OF DATA	* -

I certify that all criteria were met for the worksheets checked at	oove.		@ - always included * - See DV Memo
Signature:	Name:	Bi(1	Mahany
Date: 7/9//3			/

Temp:

Documented:

6. Encore sa	mpler (48 hour ho	ld time).
Validator: _	Mahan	(

5. Room temperature (avoid excessive heat).

Preservation Code:

1. Cool @ 4°C (<u>+</u> 2°C)

3. Protect from light.

4. Freeze.

2. Preserve with HCl to ≤ pH 2.

*Extraction	Code:

L/L - Liquid/Liquid SON - Sonication

SEP - Separatory funnel

SOX - Soxhlet

SPE - Solid Phase Extraction

Action Code:

J - Estimate (J) detected values.

UJ - Estimate (UJ) non-detected values.

R - Reject (R) non-detected values.

Matrix Codes:

AQ - Aqueous

S/S - Soil/Sediment

AQ FB - Aqueous Field Blank

+= Re-extraction per legrest, Hald Time Acceptable.

Date:	71	9	[[3	
	,				

Sampler:	Hornok	Company: WESTON		Contacted:	Yes	N	Date:	
----------	--------	-----------------	--	------------	-----	---	-------	--

1. PRESERVATION AND HOLDING TIMES Circle sample numbers with exceeded technical holding times or omitted preservation.

List all required preservation codes and circle omitted preservation codes. Circle all exceeded technical holding times.

Identify extraction technique after "# of Days"/(*Extraction Code).

14

	···		·												-
İ						PE			*********			AF	RO		
Sample No.		Pres.	Date	Date	# of Days from Samp.	*Ext.	Date	# of Days from Ext.		Date	# of Days from Samp.	*Ext.	Date	# of Days from Ext.	
(TR No.)	Matrix	Code	Sampled	Extracted	to Ext.	Code	Analyzed		Action	Extracted		Code	Analyzed	to Anal.	Actio
AYEY	ی ک		4/1413							5/31/13	45	S-X	6/3/13	3	A*
673	1/	1	j.							1.4	V	V	1	V.	1
								-							
						\									
						$\overline{}$									
	- · · · ·					$\overline{}$									
							L			ļ					
										 					
										ļ					
								\							
										-					
										ļ					
			· ·						_						
															

VOA/SV
XI. ACC
SD

EPA - NE - Data Validation Worksheet VOA/SV - Pest/PCB -XI

Re-run, PZ RASSES
in mittel run/505

XI. ACCURACY CHECK (Performance Evaluation Results) - List all analytes that are outside criteria.

SDG No .: AYCYY

Case: 4 3 3 9 5

Are more than one-half the PE analytes within criteria for each parameter?



No

Always submit this sheet and attach PE score sheets

PE Sample	Ampule		Type of				Region I EPA PE Scores*		
No.	No.	Parameter	PE	Matrix	Analyte	Conc.	PE Scores*	Samples Affected	Action
			single blind						
		.							
									-
				-					
								-	
,									

^{*}For Region I PE indicate the Region I PE Score report result: Action High, Acion Low, TCL Miss, or TCL Contaminant.

Validator:	Mahane	
		1

Date: 7 (10 / 1 3

PES ASX0182

Rev: 1

EPA Sample No.: A4C20

Report Date: 05/13/2013

Page 1 of 1

Lab Name: Chemtech Consulting Group

Contract: EPW11030

Case No.: 43395

Lab Code: CHEM

SDG No.: A4C19

Matrix: Soil

SAS/Client No.: NA Lab Sample ID: E1925-02

Date Analyzed: 04/25/2013

Lab File ID: PO008786.D

Date Received: 04/19/2013

Date Extracted: 04/23/2013

Decanted: No

Sample Wt./Vol. (g/mL): 30:0 g

% Moisture: 0.0

Injection Vol. (uL): 1.0

Extraction Type: SOXH

Conc. Extract Vol. (uL): 10000

GPC Cleanup: No

pH: NA

Sulfur Cleanup: No

Dilution Factor: 1.0

Units: ug/Kg

Analysis Method: SOM01.2 Scoring Method: SOM01.2

Comments:

CAS No.	Analyte	Laboratory	Results	PES Evaluation		
		Concentration	Q			
53469-21-9	Aroclor-1242	710	D.	PASS	Within Limits	
****	END Main Analytes	******	****	****	******	
****	END All Analytes	******	****	****	******	
		1				
	·					
					<u> </u>	
· · · · · · · · · · · · · · · · · · ·						
		1				

PES AS1486

Rev: 1

EPA Sample No.: A4C21

Report Date: 05/13/2013

Page 1 of 1

Lab Name: Chemtech Consulting Group

Contract: EPW11030

Case No.: 43395

Lab Code: CHEM SAS/Client No.: NA

SDG No.: A4C19

Matrix: Soil

Lab Sample ID: E1925-03 Date Extracted: 04/23/2013

Lab File ID: PO008787.D Date Analyzed: 04/25/2013

Date Received: 04/19/2013 Sample Wt./Vol. (g/mL): 30.0 g

% Moisture: 0.0

Decanted: No

Injection Vol. (uL): 1.0

Extraction Type: SOXH

Conc. Extract Vol. (uL): 10000

GPC Cleanup: No

pH: NA

Sulfur Cleanup: No

Dilution Factor: 1.0

Units: ug/Kg

Analysis Method: SOM01.2 Scoring Method: SOM01.2

Comments:

CAS No.	Analyte	Laboratory	Results	PES Evaluation			
		Concentration	Q				
11097-69-1	Aroclor-1254	950	D	PASS	Within Limits		
****	END Main Analytes	******	****	****	*****		
***	END All Analytes	******	****	****	******		
7.							
		-					
•		-					
		-					
				·			
	1.						
		l					
					·		
					· · · · · · · · · · · · · · · · · · ·		
							
		 		 	····		
				<u></u>			
							

PES ASX0179

Rev: 1

EPA Sample No.: A4C31

Report Date: 05/21/2013

Page 1 of 1

Lab Name: Chemtech Consulting Group

Contract: EPW11030

Case No.: 43395

Lab Code: CHEM SAS/Client No.: NA

SDG No.: A4C19

Matrix: Soil

Lab Sample ID: E1925-15

Lab File ID: PO008799.D

Date Received: 04/19/2013

Date Extracted: 04/23/2013

Date Analyzed: 04/25/2013

Sample Wt./Vol. (g/mL): 30.0 g

% Moisture: 0.0

Decanted: No Injection Vol. (uL): 1.0

Conc. Extract Vol. (uL): 10000

Extraction Type: SOXH GPC Cleanup: No

pH: NA

Sulfur Cleanup: No

Dilution Factor: 1.0

Units: ug/Kg

Analysis Method: SOM01.2 Scoring Method: SOM01.2

Comments:

CAS No.	Analyte	Laboratory	Results	PES Evaluation		
		Concentration	Q			
53469-21-9	Aroclor-1242	900	D	PASS	Within Limits	
****	END Main Analytes	*******	****	****	******	
****	END All Analytes	*******	****	****	******	
· .						
,						
			· · · · · · · · · · · · · · · · · · ·			
N						
		1				
		15 195			· · · · · · · · · · · · · · · · · · ·	
		<u> </u>				

Property of U.S. Environmental Protection Agency - Score PES v1.12b

PES AS1431

Rev: 1

EPA Sample No.: A4C32

Report Date: 05/21/2013

Page 1 of 1

Lab Name: Chemtech Consulting Group

Contract: EPW11030

Case No.: 43395

SAS/Client No.: NA

SDG No.: A4C19

Matrix: Soil

Lab Sample ID: E1925-16

Lab Code: CHEM

Lab File ID: PO008805.D

Date Received: 04/19/2013

Date Extracted: 04/23/2013 % Moisture: 0.0

Date Analyzed: 04/25/2013 Decanted: No

Sample Wt./Vol. (g/mL): 30.0 g

Injection Vol. (uL): 1.0

Extraction Type: SOXH

Conc. Extract Vol. (uL): 10000

Sulfur Cleanup: No

GPC Cleanup: No

pH: NA

Dilution Factor: 1.0

Units: ug/Kg

Analysis Method: SOM01.2 Scoring Method: SOM01.2

Comments:

CAS No.	Analyte	Laboratory	Results	PES Evaluation		
		Concentration	Q		·	
12672-29-6	Aroclor-1248	370		PASS	Within Limits	
****	END Main Analytes	******	****	****	******	
****	END All Analytes	******	****	****	******	
	 					
					·	
		`				
			-			
			1			
	<u> </u>	L		L		

XIII. SAMPLE QUANTITATION

If no PE, do sample calculation.

Recalculate, from the raw data, the concentration for one positive detect and one reported sample quantitation limit (SQL) for a non-detect in a diluted sample or soil sample per fraction. (Note: Although Section XIII, C 2. a. requires that one calculation for each fraction in each sample be performed, the validator is only required to reproduce an example, for each fraction, of one positive detect and one SQL calculation on this worksheet.)

Fraction		Calculation*						
voc		Detect:	Non-detect QL:					
Sample No.:								
Reported Compound:								
Reported Value:								
Non-detected Compound:								
Reported Quantitation Limit:								
svoc		Detect:	Non-detect QL:					
Sample No.:			Tron dottor QL.					
Reported Compound:								
Reported Value:								
Non-detected Compound:								
Reported Quantitation Limit:								
P/PCB		Detect:	Non-detect QL:					
Sample No.:	A4C22							
Reported Compound:	-		3 3 ms/kc 304 3011					
Reported Value:	WA		3 3 pars/ks. 305 301 - 71					
Non-detected Compound:	ALL		1 500.00					
Reported Quantitation Limit:	71 U		$m{\mathcal{C}}$					

⁻ NA for Tier II if PE score is OK.

Do all soil/sediment samples have % solids greater than 30%? $^{\circ}\!\!\!/$ N $^{\circ}\!\!\!/$ If s	olids <30%, have sample volumes been increased sufficiently to compensate? Y
If no. list sample numbers	
	·

DRAFT Log Book Notes

TDD No. 01-12-10-0008 Logbook No. 01433-S Site Reassessment

- 1520 hrs: Surface soil sample P001-SS-08A (Sample #: JCS-501) was collected with a metal scoop at a depth of 0 to 6 inches bgs from residential property P001 at surface soil sample location P001-SS-08, located on the southern bank of the stream, 50 feet east of P001-SS-07, and later submitted for PCB field screening analysis.
- 1530 hrs: Surface soil sample P001-SS-01A (Sample #: JCS-481) was collected with a metal scoop at a depth of 0 to 6 inches bgs from residential property P001 at surface soil sample location P001-SS-01, located directly adjacent to the residence beneath the former location of a recently demolished deck, and later submitted for PCB field screening analysis.
- 1535 hrs: Surface soil sample P001-SS-08B (Sample #: JCS-502) was collected with a hand auger at a depth of 6 to 10 inches bgs from surface soil sample location P001-SS-08 (see above) and later submitted for PCB field screening analysis. No 'C' interval was collected for surface soil sample location P001-SS-08 due to refusal.
- 1540 hrs: Surface soil sample P001-SS-01B (Sample #: JCS-482) was collected with a hand auger at a depth of 6 to 12 inches bgs from surface soil sample location P001-SS-01 (see above) and later submitted for PCB field screening analysis.
- 1550 hrs: Surface soil sample P001-SS-01C (Sample #: JCS-483) was collected with a hand auger at a depth of 12 to 24 inches bgs from surface soil sample location P001-SS-01 (see above) and later submitted for PCB field screening analysis.
- 1600 hrs: START Team Members reviewed and turned in completed surface soil data sheets for each sample location.
 Sample aliquots for PCB field screening, collected to date, were transferred to EPA chemist Clifford for processing and PCB field screening analyses.
- 1630 hrs: START personnel secured IDW drums, secured the site and departed the Jard property.

16 April 2013 (Tuesday) - Sediment Sampling

Weather: Partly cloudy, 45 to 50 °F

- 0730 hrs: START members Kelly, Hornok, Bitzas, Dupree, Robinson, Saylor, Christine Scesny, and Sharp arrived at the Jard property.
- 0745 hrs: START HSC Kelly reviewed the site HASP and conducted a tailgate health and safety meeting for all on-site START personnel, including reviews of the physical hazards (uneven terrain, trips-slips-falls, working near water, heavy lifting, traffic concerns, potential adverse weather conditions), chemical hazards (PCBs), Radiation (Not encountered previously but will be monitored) and biological hazards (ticks, poison ivy, thorn bushes, snakes, dogs, animals). Personnel reviewed and signed the HASP documentation, as needed. START members completed calibration checks on air monitoring instrument; MultiRAE Plus, LEL, O2, H2S, CO, and PID meter. Background ambient readings: LEL = 0%; O₂ = 20.9%; H₂S = 0 ppm; CO = 0 ppm; and VOC = 0 ppm.
 - START Team established decontamination area and conduct decontamination of non-
- sample SD-50A (Sample #: JCS-556) was collected using a metal scoop at a depth of 0 to 6 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 0850 hrs: Sediment sample SD-50B (Sample #: JCS-557) was collected using a hand auger at a depth of 6 to 12 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 0855 hrs: Sediment sample SD-50C (Sample #: JCS-558) was collected using a hand auger at a depth of 12 dedicated equipment. Non-dedicated equipment (augers, metal scoops, etc.) will be

TDD No. 01-12-10-0008 Logbook No. 01433-S Site Reassessment

- decontaminated after the collection of each sample, and prior to use for the collection of other samples.
- 0830 hrs: START members Bitzas and Hornok began documenting previously mapped/delineated wetland area located west of Park Street. In addition, START members Kelly and Sharp began marking sediment sample locations, first in the background wetland located north of the Jard property and then in the area west of Park Street. Additional START personnel mobilized to the background wetland located north of the Jard property to begin sampling.
- 0845 hrs: Sediment to 24 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 0930 hrs: Sediment sample SD-51A (Sample #: JCS-559) was collected using a metal scoop at a depth of 0 to 6 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 0940 hrs: Sediment sample SD-51B (Sample #: JCS-560) was collected using a hand auger at a depth of 6 to 12 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 0945 hrs: Sediment sample SD-51C (Sample #: JCS-561) was collected using a hand auger at a depth of 12 to 24 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 0950 hrs: Sediment sample SD-52A (Sample #: JCS-562) was collected using a metal scoop at a depth of 0 to 6 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 0955 hrs: Sediment sample SD-52B (Sample #: JCS-563) was collected using a hand auger at a depth of 6 to 12 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1000 hrs: Sediment sample SD-52C (MS/MSD) (Sample #: JCS-564) was collected using a hand auger at a depth of 12 to 24 inches bgs from a background wetland (PEM) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1020 hrs: Sediment sample SD-53A (Sample #: JCS-565) was collected using a metal scoop at a depth of 0 to 6 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1025 hrs: Sediment sample SD-53B (Sample #: JCS-566) was collected using a hand auger at a depth of 6 to 12 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1030 hrs: Sediment sample SD-53C (Sample #: JCS-567) was collected using a hand auger at a depth of 12 to 24 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1100 hrs: Sediment sample SD-54A (Sample #: JCS-568) was collected using a metal scoop at a depth
- 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1735 hrs: Sediment sample SD-18B (Sample #: JCS-509) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1800 hrs: START Team Members reviewed and turned in completed sediment sample data sheets for each sample location. Note that samples were generally collected in sequence from downstream to upstream locations. However, due to the limited water flow and direct flow path between sample locations, there does not appear to be any potential cross-contamination influence as a of 0 to 6 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.

TDD No. 01-12-10-0008 Logbook No. 01433-S Site Reassessment

- 1105 hrs: Sediment sample SD-54B (Sample #: JCS-569) was collected using a hand auger at a depth of 6 to 12 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1110 hrs: Sediment sample SD-54C (Sample #: JCS-570) was collected using a hand auger at a depth of 12 to 24 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1125 hrs: Sediment sample SD-55A (Sample #: JCS-571) was collected using a metal scoop at a depth of 0 to 6 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1130 hrs: Sediment sample SD-55B (Sample #: JCS-572) was collected using a hand auger at a depth of 6 to 12 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1135 hrs: Sediment sample SD-55C (Sample #: JCS-573) was collected using a hand auger at a depth of 12 to 24 inches bgs from a background wetland (PSS) area located north of the Jard property and later submitted for PCB field screening analysis.
- 1315 hrs: Sediment sample SD-48A (Sample #: JCS-553) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from an area directly adjacent to the unnamed stream located west of the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis. Note that samples are being collected from downstream to upstream locations. However, due to the limited water and flow, there does not appear to be any potential cross-contamination influence as a result of stirring up the sediment at adjacent sampling locations.
- 1320 hrs: Sediment sample SD-48B (Sample #: JCS-554) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from an area directly adjacent to the unnamed stream located west of the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis. In addition, sediment sample SD-49A (Sample #: JCS-555) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the unnamed stream located west of the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis.
- 1325 hrs: Sediment sample SD-47A (Sample #: JCS-551) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the unnamed stream located west of the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis..
- 1330 hrs: Sediment sample SD-46A (Sample #: JCS-550) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the unnamed stream located west of the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis.
- 1335 hrs: Sediment sample SD-45A (Sample #: JCS-549) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the unnamed stream located west of the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis.

 In addition, sediment sample SD 47B (Sample #: JCS 552) was cellected using a hand suger.
 - In addition, sediment sample SD-47B (Sample #: JCS-552) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the unnamed stream located west of the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis.
- 1340 hrs: Sediment sample SD-43A (Sample #: JCS-547) was collected using a metal scoop at a depth of 0 to 6 inches below the sediment-water interface from the unnamed stream located west of

DRAFT Log Book Notes

TDD No. 01-12-10-0008 Logbook No. 01433-S Site Reassessment

the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis.

In addition, sediment sample SD-44A (Sample #: JCS-548) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the unnamed stream located west of the Jard property and which drains the wetland area on property P030. The sample was later submitted for PCB field screening analysis.

- 1344 hrs: Sediment sample SD-42A (Sample #: JCS-545) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1349 hrs: Sediment sample SD-42B (Sample #: JCS-546) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1350 hrs: Sediment sample SD-41A (Sample #: JCS-544) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1355 hrs: Sediment sample SD-40A (Sample #: JCS-543) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1405 hrs: Sediment sample SD-39A (Sample #: JCS-542) was collected using a hand auger at a depth of 0 to 8 inches below the sediment-water interface from the stream that runs behind property P041 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1445 hrs: Sediment sample SD-38A (Sample #: JCS-541) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the stream that runs through residential property P005 located west of the Jard property on Park Street. The sample was later submitted for PCB field screening analysis.
- 1448 hrs: Sediment sample SD-36A (Sample #: JCS-538) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the stream that runs through residential property P006 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1450 hrs: Sediment sample SD-37A (Sample #: JCS-540) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the stream that runs through residential property P005 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1452 hrs: Sediment sample SD-36B (Sample #: JCS-539) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the stream that runs through residential property P006 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1455 hrs: Sediment sample SD-35A (Sample #: JCS-537) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the stream that runs through property P032 and Duck Pond located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis. Weather conditions change from light to heavy rain.
- 1500 hrs: Sediment sample SD-34A (Sample #: JCS-536) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the stream that runs through property

TDD No. 01-12-10-0008 Logbook No. 01433-S Site Reassessment

P032 and Duck Pond located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.

- 1505 hrs: Sediment sample SD-32A (Sample #: JCS-534) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the pond that exists on residential property P011 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
 - In addition, sediment sample SD-33A (Sample #: JCS-535) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the stream that runs through property P031 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1510 hrs: Sediment sample SD-31A (Sample #: JCS-532) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the pond that exists on residential property P011 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1513 hrs: Sediment sample SD-31B (Sample #: JCS-533) was collected using a hand auger at a depth of 12 to 18 inches below the sediment-water interface from the pond that exists on residential property P011 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1515 hrs: Sediment sample SD-30A (Sample #: JCS-530) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the pond that exists on residential property P011 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1520 hrs: Sediment sample SD-30B (Sample #: JCS-531) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the pond that exists on residential property P011 located west of the Jard property along Park Street. The sample was later submitted for PCB field screening analysis.
- 1540 hrs: Sediment sample SD-19A (Sample #: JCS-510) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
 - In addition, sediment sample SD-20A (Sample #: JCS-512) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1542 hrs: Sediment sample SD-19B (Sample #: JCS-511) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1545 hrs: Sediment sample SD-20B (Sample #: JCS-513) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
 - In addition, sediment sample SD-25A (Sample #: JCS-520) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1550 hrs: Sediment sample SD-25B (Sample #: JCS-521) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the

TDD No. 01-12-10-0008 Logbook No. 01433-S Site Reassessment

Jard Company, Inc.
Bennington, Vermont
CERCLIS No. VTD048141741

Jard property on property P030. The sample was later submitted for PCB field screening analysis.

- 1555 hrs: Sediment sample SD-26A (Sample #: JCS-522) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1600 hrs: Sediment sample SD-26B (Sample #: JCS-523) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1630 hrs: Equipment rinsate blank sample RB-30 (Sample #: JCW-028: CLP #: A4B54) was collected from hand auger sampling equipment (augers, scoops, etc.) associated with sediment sampling activities.
- 1650 hrs: Sediment sample SD-22A (Sample #: JCS-515) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1700 hrs: Sediment sample SD-21A (Sample #: JCS-514) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1703 hrs: Sediment sample SD-23A (Sample #: JCS-516) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1705 hrs: Sediment sample SD-23B (Sample #: JCS-517) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
 - In addition, sediment sample SD-28A (Sample #: JCS-526) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1706 hrs: Sediment sample SD-24A (Sample #: JCS-518) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
- 1710 hrs: Sediment sample SD-24B (Sample #: JCS-519) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
 - In addition, sediment sample SD-28B (Sample #: JCS-527) was collected using a hand auger at a depth of 12 to 24 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.
 - Also, sediment sample SD-29A (Sample #: JCS-528) was collected using a hand auger at a depth of 0 to 12 inches below the sediment-water interface from the wetland area located west of the Jard property on property P030. The sample was later submitted for PCB field screening analysis.



Page 1 of 2

USEPA CLP Organics COC (LAB COPY)

DateShipped: 4/18/2013 CarrierName: FedEx AirbillNo: 5141 2418 1040 **CHAIN OF CUSTODY RECORD**

Case #: 43395 Cooler #: SB100/SB010 SDQ#

No: 1-041813-160255-0047

Lab: ChemTech Consulting Group Lab Contact: Divya Mehta Lab Phone: 908-789-8900

Organic Sample #	Matrix/Sampler	Coll. Method	Analysis/Turnaround	Tag/Preservative/Bottles	Station Location	Collected	Inorganic Sample #	For Lab Use Only
A4C22	Sediment/ START	Grab	CLP PCBs(21)	842 (4 C) (1)	JCS-559	04/16/2013 09:30	79	
A4C23	Sediment/ START	Grab	CLP PCBs(21)	844 (4 C) (1)	JCS-556	04/16/2013 08:45	4	3/-
A4C24	Sediment/ START	Grab	CLP PCBs(21)	846 (4 C) (1)	JCS-561	04/16/2013 09:45	7 8	7
A4C25	Sediment/ START	Grab	CLP PCBs(21), CLP PCBs(21)	848 (4 C), 849 (4 C) (2)	JCS-566	04/16/2013 10:25		
A4C26	Sediment/ START	Grab	CLP PCBs(21)	851 (4 C) (1)	JCS-570	04/16/2013 11:10	-	
A4C27	Sediment/ START	Grab	CLP PCBs(21)	853 (4 C) (1)	JCS-564	04/16/2013 10:00	•	
A4C28	Sediment/ START	Grab	CLP PCBs(21)	855 (4 C) (1)	JCS-514	04/16/2013 17:00		
A4C29	Sediment/ START	Grab	CLP PCBs(21)	857 (4 C) (1)	JCS-565	04/16/2013 10:20	Copy	5 l
A4C30	Sediment/ START	Grab	CLP PCBs(21)	860 (4 C) (1)	JCS-585	04/16/2013 11:10	1	4
A4C31	Soil/ START	Grab	CLP PCBs(21)	· 862 (4 C) (1)	JCS-586	04/17/2013 07:00		þ
A4C32	Soil/ START	Grab	CLP PCBs(21)	863 (4 C) (1)	JCS-587	04/17/2013 07:00	¢)
A4C33	Soil/ START	Grab	CLP PCBs(21)	864 (4 C) (1)	JCS-341	04/11/2013 12:05		

		Shipment for Case Complete (Y)
Sample(s) to be used for Lab QC: A4C25		Samples Transferred From Chain of Custody #
	TEMP: 4(N/A
Analysis Key: CLP PCBs=SOM01.2 Aroclors		

Items/Reason	Relinquished by	Date	Received by	Date	Time	Items/Reason	Relinquished By	Date	Received by	Date	Time
Samples	Huplike	4/18/13	Airbill# 514124181040	4/18/13	1640						>
											-
				:		Samples	Airbill# 5141 2418/040	<	JOHN TEXAGO	4/19/13	935

Except. A4CZZ & A4CZ3 all sombles are in SD4 # A4Cl9

DGLESAT

ORGANICS COMPLETE SDG FILE (CSF) INVENTORY SHEET FORM DC-2

Java Company Weston

LABORATORY NAME :	CHEMTECH CONSULTING GROUP, INC.				
CITY / STATE : MC	DUNTAINSIDE, NJ				
CASE NO : 4339	5 SDG NO: A4C22				
SDG NOs TO FOLLOW	N/A N/A				
MOD. REF. NO. :	N/A		N/A		MANUAL TURNO
CONTRACT NO:	EPW11030				
SOW NO:	SOM 01.2			JUN 1	7 2013
All documents delivered in	the Complete SDG File (CSF) must be original door	uments where	e possible.		
			PAGE NOS:	CHE	CK Wester
. Inventory Sheet (DC-2)	(Do not number)	FROM	ТО	LAB	USEPA .
sDG Narrative		.1	4		
s. SDG Cover Sheet/Traffi	c Report	5	6		
. Trace Volatiles Data					
a. QC Summary Deuterated Mon	itoring Compound Recovery (Form II VOA-1				
and VOA-2)	noing compound (tossie) (tossie to control	NA	<u>NA</u>		
Matrix Spike/Ma (if requested by	trix Spike Duplicate Recover (Form III VOA) USEPA Region)	NA	<u>NA</u>		
Method Blank S	ummary (Form IV VOA)	NA	NA		
GC/MS Instrume	ent Performance Check (Form V VOA)	NA	<u>NA</u>		
Internal Standar	d Area and RT Summary (Form VIII VOA)	NA	NA		
b. Sample Data TCL Results - O and VOA-2)	rganics Analysis Data Sheet (Form I VOA-1	NA	<u>NA</u>		
•	ified Compounds (Form I VOA-TIC)				
	otal ion chromatograms (RIC) for each sample				
For each sampl	e:				
The state of the s	and background-subtracted mass spectra of unds identified				
Quantitation	reports				
Mass Spectra c. Standards Data (A	a of all reported TICs with three best library matches II Instruments)	NA	NA		
Initial Calibration	n Data (Form VI VOA-1, VOA-2, VOA-3)				1
RICs and Quant	itaation Reports for all Standards			/	
Continuing Calib	oration Data (Form VII VOA-1, VOA-2, VOA-3)				
RICs and Quant	itation Reports for all Standards				
d. Raw/Quality Contro					
BFB		NA	NA		/
Blank Data		NA	NA		<i></i>
Matrix Spike/Matr USEPA Region)	x Spike Duplicate Data (if requested by	NA	NA		

ASE	NO: 43395 SDG NO: A4C22	SDG NOs TO	FOLLOW:	N/A		
N/A	N/A	MOD. REF. I	NO: N/	A		
	The state of the Tana Malati	les Castion	NA	NA		1
е.	Trace SIM Data (Place at the end of the Trace Volatil		INA			
	[Form I VOA-SIM; Form II VOA-SIM1 and VOA-SIM IV-VOA-SIM; Form VI VOA-SIM; Form VII VOA-SIM VIII VOA-SIM; and all raw data for QC, Samples, a Standards.]	ທີ; Form	man and a second			
Low/	Med Volatiles Data				4	
a. (QC Summary					
	Deuterated Monitoring Compound Recovery (Form VOA-2, VOA-3, VOA-4)	n II VOA-1,	NA	NA		
	Matrix Spike/Matrix Spike Duplicate Recovery (For and VOA-2) (if requested by USEPA Region)	m III VOA-1	NA	NA		
	Method Blank Summary (Form IV VOA)		NA	NA		
	GC/MS Instrument Performance Check (Form V V	OA)	NA	NA		
	Internal Standard Area and RT Summary (Form V	III VOA)	NA	NA		
b.	Sample Data		NA	NA		
	TCL Results - Organics Analysis Data Sheet (Forr VOA-1 and VOA-2)	n I				
	Tentatively Identified Compounds (Form I VOA-TI	C)				
	Reconstructed total ion chromatograms (RIC) for	each sample				
	For each sample: Raw Spectra and background-subtracted material target compounds identified	ss spectra of				
	Quantitation reports					
	Mass Spectra of all reported TICs with three matches	best library				
c.	Standards Data (All Instruments		NA	NA		
	Initial Calibration Data (Form VI VOA-1, VOA-2, V	OA-3)				
	RICs and Quantitation Reports for all Standards			•		
	Continuing Calibration Data (Form VII VOA-1, VC	A-2, VOA-3)				
	RICs and Quantitation Reports for all Standards					
d.	Raw/Quality Control (QC)Data	V.				
	BFB		NA	NA		
	Blank Data		NA	NA		
	Matrix Spike/Matrix Spike Duplicate Data (if requ USEPA Region)	ested by	NA	NA	_/_	-

Evidence Audit Photocopy

6.

e. Raw GPC Data

CAS	SE NO: 43395 SDG NO: A4C22	SDG NOs TO FOLLOW: N/A				
N/	A N/A	MOD. REF. NO:	N/A			
Sen	nivolatiles Data					
a.	QC Summary					
	Deuterated Monitoring Compound Recovery (Form II SV SV-2, SV-3, SV-4)	V-1, <u>NA</u>	NA			
	Matrix Spike/Matrix Spike Duplicate Recovery Summary (Form III SV-1 and SV-2) (if requested by USEPA Region		NA		· ~	
	Method Blank Summary (Form IV SV)	NA	NA			
	GC/MS Instrument Performance Check (Form V SV)	NA	NA		paral 100 miles (100 m	
	Internal Standard Area and RT Summary (Form VIII SV and SV-2)	-1 <u>NA</u>	NA			
o.	Sample Data	NA	NA		•	
	TCL Results - Organics Analysis Data Sheet (Form I SV SV-2)	/-1 and				
	Tentatively Identified Compounds (Form I SV-TIC)			/		
	Reconstructed total ion chromatograms (RIC) for each s	sample				
	For each sample:	NA	NA			
	Raw Spectra and background-subtracted mass spectarget compounds	tra of				
	Quantitation reports	•				
	Mass Spectra of TICs with three best library matches	3			-	
	GPC chromatograms (if GPC is r				FOR 100 TO 100 T	
c.	Standards Data (All Instruments)	NA	NA	•		
	Initial Calibration Data (Form VI SV-1, SV-2, SV-3)					
	RICs and Quantitation					
	Continuing Calibration Data (Form VII SV-1, S				Expression squared	
	RICs and Quantitation Reports for all Standards					
d.	Raw (QC)Data					
	DFTPP	NA	NA NA			
	Blank Data	NA	<u>NA</u>			
	MS/MSD Data (if requested by USEPA Region)	NA	NA			

Evidence Audit Photocopy

HRS Reference #76 Page 28 of 39

CASE NO	D: 43395 SDG NO: A4C22	SDG NOs TO FO	DLLOW: N/A		
N/A	N/A	MOD. REF. NO :	N/A		
S	emivolatile SIM Data	N	A NA	/	
III F	Form I SV-SIM; Form II SV-SIM1 and SV-SIM2; Form I-SV-SIM1 and SV-SIM2 (if required; Form IV SV-SIM; form VI SV-SIM; Form VII SV-SIM1 ar IV-SIM2; and all raw data for QC, Samples, and Standard	nd	e		
Pesticide	es Data				
a. QC	Summary				
Surr	ogate Recovery Summary (Form II PEST-1 and PEST-2) <u>NA</u>	<u>NA</u>		
	rix Spike/Matrix Spike Duplicate Recovery Summary m III PEST-1 and PEST-2)	NA	<u>NA</u>		
	oratory Control Sample Recovery (Form III PEST-3 and ST-4)	NA	NA NA		
Meti	hod Blank Summary (Form IV PEST)	NA	NA		
. Sample	e Data	NA	NA	_	
TCL	Results - Organics Analysis Data Sheet (Form I PEST)				
Chr	omatograms (Primary Column)				
Chr	omatograms from second GC column confirmation				
GC	Integration report or data system printout				
Mar	nual work sheets				
For	Pesticides by GC/MS				
	Copies of raw spectra and copies of background-subtract spectra of target compounds (samples & standards)	ted mass			
. Standa	ards Data	NA	NA		
Initi	al Calibration of Single Component Analytes (Form VI Pl	EST-1 and PEST	-2)		
Tox	aphene Initial Calibration (Form VI PEST-3 and PEST-4))			
Ana	alyte Resolution Summary (Form VI PEST-5, per column)			
Per	formance Evaluation Mixture (Form VI PEST-6)				
Ind	ividual Standard Mixture A (Form VI PEST-7)				
Ind	ividual Standard Mixture B (Form VI PEST-8)				
Ind	ividual Standard Mixture C (Form VI PEST-9 and PEST-	10)			
Cal	libration Verification Summary (Form VII PEST-1)				
Cal	libration Varification Summany (Form VII PEST-2)		*		-

Evidence Audit Photocopy

HRS Reference #76

CAS	SE NO: 43395	SDG NO: A4C22	SDG NOs TO F	OLLOW	/: N/A		-
N/	Α	N/A	MOD. REF. NO	:	N/A		
	Calibration Verification	on Summary (Form VII PEST-3	3)	·		<u> </u>	L
	Calibration Verification	on Summary (Form VII PEST-4	!)				_/
	Analytical Sequence	(Form VIII PEST)					
	Florisil Cartridge Che	eck (Form IX PEST-1)					
	Pesticide GPC Calibr	ration (Form IX PEST-2)			NO.		<u> </u>
	Identification Summa	ary for Single Component Analy	ytes (Form X PEST-1)				L
	Identification Summa	ary for Toxaphene Form X PES	T-2)				
	Chromatograms and	data system printouts					
	A printout of Ret	ention Times and corresponding	ng peak areas or peak he	ights			
d.	Raw QC Data						
	Blank Data			NA	<u>NA</u>		
	Matrix Spike/Matr	ix Spike Duplicate Data	<u>.</u>	NA	NA		
	Laboratory Contro	ol Sample		NA:	<u>NA</u>		
e.	Raw GPC Data		•	NA	<u>NA</u>		
f.	Raw Florisil Data			NA	<u>NA</u>		
Arc	oclor Data						
a.	QC Summary						
	Surrogate Recove	ery Summary (Form II ARO-1 a	and ARO-2)	7	7		
	Matrix Spike/Matr and ARO-2)	rix Spike Duplicate Summary (8	9		L
	Laboratory Contro ARO-4)	ol Sample Recovery (Form III A		10	10		
	Method Blank Su	mmary (Form IV ARO)		11	11		
b.	Sample Data			12	17		
	TCL Results - Org	ganics Analysis Data Sheet (Fo	orm I ARO)	NA	<u>NA</u>		
	Chromatograms ((Primary Column)		NA	NA		
	Chromatograms f	from second GC column confir	mation	NA	NA		
	GC Integration re	port of data system printout		NA	<u>NA</u>		
	Manual work she	ets		NA	<u>NA</u>		
	For Aroclors by G	GC/MS		NA	NA .		

Evidence Audit Photocopy

HRS Reference #76 Page 30 of 39

ASE NO: 43395	SDG NO: A4C22	SDG NOs TO FOLL	OW: N/A		· ·
N/A	N/A	MOD. REF. NO :	N/A		
background-s	spectra and copies of ubtracted mass spectra of target amples & standards)				•
Standards Data		<u>18</u>	60		
Aroclors Initial Cal	ibration (Form VI ARO-1,ARO-2,	and ARO-3)			
Calibration Verifica	ation Summary (Form VII ARO-1)				
Analytical Sequen	ce (Form VIII ARO)				
Identification Sum	mary for Multicomponent Analytes	s (Form X ARO)			
Chromatograms a	nd data system printouts				<u></u>
A printout of or peak heigh	Retention Times and correspond ghts	ling peak areas			· L
Raw QC Data					
Blank Data		<u>61</u>			$\underline{ \ \ \ \ \ \ \ \ \ }$
Matrix Spike/Matr	ix Spike Duplicate Data	<u>78</u>	85		
Laboratory Contro	ol Sample (LCS) Data	<u>86</u>	89		
Raw GPC Data (if pe	erformed)	<u>NA</u>	NA NA		
Miscellaneous Data				् स	
	n and analysis forms or copies of ok pages	preparation 90	118		
Internal sample an	d sample extract transfer chain-of	-custody <u>123</u>	3 123		
Screening records		<u>NA</u>	<u>NA</u>		
	ut, including strip charts from scre	eening			
activities (describe	or list)				
			programme (account of the control of		
EPA Shipping/Receivi	ng Documents		0 110		
Airbills (No. of ship	oments1)	<u>11</u>	9 119		
Chain of Custody	Records	<u>12</u>	0 120		Landida
Sample Tags					
Sample Log-in Sh	eet (Lab & DC-1)	12	1 122		
	ipping/Receiving Records (descri	P 12			

Evidence Audit Photocopy

CASE NO: 43	395 SDG NO: A4C22	SDG NOs TO FOLLOW:	N/A	
N/A	N/A	MOD. REF. NO : N/A	4	
11. Internal Lab S	ample Transfer Records and Tracking Sh	neets (describe or list)		·
Sample	e Transfer	123	123	
12. Other Records	s (describe or list)			
Telephone	e Communication Log	<u>124</u>	143	
<u> </u>		· ·	Quantum phi in the second seco	
13. Comments				
				•
Completed by: (CLP Lab)	(Signature)	Shella (Printed/Name		06/14/13
Verified by: (CLP Lab)	(Signature)	Himanshu (Printed Name		08(14/13 (Date)
Audited by:	Whut	William WMahony	Plan Pro J. Sciential	6/26/13
(USEPA)	(Signature)	(Printed Nam	e/Title)	(Date)

Evidence Audit Photocopy





EPA NEW ENGLAND COMPLETE SDG FILE RECEIPT / TRANSFER FORM

Site: Jard Company The.

TDD: 09@12-10-0008

TASK: 0850

Case:	13395	SDG: <u>A4C22</u>			
Receipt	Received By:		CSF	Custody Seals	Released

Receipt Date	Received By : Name	Init.	Affiliation	CSF Activity	Custody Seals Present / Intact	Released To Date
06/17/13	Doris Guzman	DG	ESAT	Received for Transfer	YN YN	Weston 06/17-113
6/19/13	Bill Mahany	(10)	Weston	Storese + validation	(V) (V) N	
 					YN YN	
					Y N Y N	
	·				YN YN	
		,			YN YN	
					Y N Y N	
					YN YN	
					YN YN	
					YN YN	
Page 33 of 39	1				Y N Y N	
33 of 3		٠.			Y N Y N	

EPA-NE - DQO SUMMARY FORM

A separate Form should be completed for each sampling event. Refer to Attachment A for instructions on completing this form, Attachment B for a complete list of the parameter codes and Attachment C for an example of a completed form.

1.	EPA Program: TSCA CERCLA RCRA DW NPDES CAA Other: Projected Date(s) of Sampling Spring (April/May) 2013 EPA Site Manager Martha Bosworth EPA Case Team Members			Site Name Jard Company Inc Site Location Bennington, Vermont Assigned Site Latitude/Longitude 42° 53′ 21.5″ north/73° 11′ 21.9″ west CERCLA Site/Spill Identifier NoVTD048141741 (Include Operable Unit) Phase: ERA SA/SI pre-RI RI (phase I, etc.) FS RD RA post-RA (circle one) Other: Site Reassessment					
2.	Water, and Sediment Sampling Jard	Date of the desired was delegated	of Approval: TBD Organization*: EPA						
	EPA Oversight Project (circle one) Confirmatory Analysis for Field Scre Are comparability criteria documento	N I	Type of EPA Oversight (circle one) PRP or FF Other: If EPA Oversight or Confirmatory: % splits_TBD						
3. a.	Matrix Code ¹	so	so	SO	GW	GW	SD	SD	SD
b.	Parameter Code ²	PCB Aroclors	PCB Aroclors	PCB Congeners	PCB Aroclors	PCB Congeners	PCB Aroclors	PCB Aroclors	PCB Congeners
c.	Preservation Code ³	5	. 5	5	5	5	5	5	5
đ	Analytical Services Mechanism	DAS or CLP	DAS or CLP	CLP	DAS or CLP	DAS or CLP	DAS or CLP	DAS or CLP	CLP
e.	No. of Sample Locations	65	28	2	21	2	60	60	60
	Field QC:								
f.	Field Duplicate Pairs	4	2	·	2	5	5	5	5
g.	Equipment Blanks	See RB	See RB	See RB	See RB	See RB	See RB	See RB	See RB
h.	VOA Trip Blanks	0	0	0	0	. 0	0	. 0	0
i.	Cooler Temperature Blanks	1 per cooler	l per cooler	1 per cooler	l per cooler	l per cooler	l per cooler	1 per cooler	l per cooler
j.	Bottle Blanks	0	0	0	0	0	0.	0	0
k.	Other:								
1.	PES sent to Laboratory	NA	6	TBD	3	TBD	NA	3	TBD
	Laboratory QC:								
m.	Reagent Blank	0	0	0	0	0	0	0	0
n.	Duplicate	0	0	0	, 0	0	0	0	0
о.	Matrix Spike	0	2	0	1	0	1	0	0
p.	Matrix Spike Duplicate	0	2	0	1	0	1	0	0
q.	Other:								
4.	Site Information Site Dimensions Approximately 11.26 acres List all potentially contaminated matrices Surface and subsurface soil, sediment, ground water, and residential surface soil Range of Depth to Groundwater greater than 5 feet Soil Types: Surface Subsurface Other: Sediment Types: Stream Pond Estuary Wetland Other: Expected Soil/Sediment Moisture Content: High Low								

	EPA Program: TSCA CERCLA RCRA DW NPDES CAA Other: Projected Date(s) of Sampling Spring (April/May) 2013 EPA Site Manager Martha Bosworth EPA Case Team Members			Site Name Jard Company Inc Site Location Bennington, Vermont Assigned Site Latitude/Longitude 42° 53′ 21.5″ north/73° 11′ 21.9″ west CERCLA Site/Spill Identifier NoVTD048141741 (Include Operable Unit) Phase: ERA SA/SI pre-RI RI (phase I, etc.) FS RD RA post-RA (circle one) Other: Site Reassessment					
-	Title of Approving Official: <u>Site As</u> : *If other than EPA, record date appro-	Company Inc.	Bennington, VDate o ger was delegated:	f Approval: T	1 January 20 BD Organization	n*:_ <u>EPA</u>			ource, Groun
	EPA Oversight Project (circle one) Confirmatory Analysis for Field Scre Are comparability criteria document			ype of EPA Ove EPA Oversight					
. a.	Matrix Code ¹	SS	SS	SS	RB				
ъ.	Parameter Code ²	PCB Aroclors	PCB Aroclors	PCB Congeners	PCB Aroclors				·
c.	Preservation Code ³	5	5	5	5			-	
d.	Analytical Services Mechanism	DAS or CLP	DAS or CLP	CLP	CLP Non- RAS				
e.	No. of Sample Locations	125	38	2	21				
	Field QC:						-		
f.	Field Duplicate Pairs	7	2.		0				
g.	Equipment Blanks	See RB	See RB	See RB	0				
h.	VOA Trip Blanks	0	0	0	0		>		
i.	Cooler Temperature Blanks	l per cooler	1 per cooler	1 per cooler	1 per cooler	-			
j.	Bottle Blanks	0	0	0	0				
k.	Other:		i						
1.	PES sent to Laboratory	NA	6	TBD	0	-			
	Laboratory QC:								
m.	Reagent Blank	0	0	0	0				
n.	Duplicate	0	0	0	0				
o.	Matrix Spike	0	2	0	0				
p.	Matrix Spike Duplicate	0	2	0					
q.	Other:								,
	Site Information Site Dimensions Approximately 11. List all potentially contaminated mat Range of Depth to Grundwater Soil Types: Surface Subsurface O Sediment Types: Stream Pond Es	rices <u>Surface a</u> eater than 5 fee ther: (et ·	soil, sediment,			ntial surface so		Low

When multiple matrices will be sampled during a sampling event, complete Sections 5-10 for each matrix. Matrix Code ¹ SO					
5. Data U	Engineering D	ktent of Contamination Human and/or E	cological Risk	Assessment	Removal Actions Remediation Alternatives Other:
			Draft DQO S	ummary Forr	
6. Summarize DQOs: Collect surface and subsurface soil/source samples from the identified source area (capped former building footprint and excavate staged material) on the property for PCB Aroclors field screening and fixed based laboratory analysis in source areas on the Jard Company Inc property. A subset of samples will be submitted for fixed laboratory analysis with a smaller subset submitted for PCB Congener analysis. Complete Table if applicable					
	COCs	Action Levels		Ana	lytical Method-Quantitation Limits
PCB Aro	oclors (Field Screening)	Above Background (Assumed to be NI	D)	0.2 mg/Kg	
PCB Aro	oclors (Fixed Lab)	Above Background (Assumed to be NI	D)	33 ug/kg	
PCB Con	1gerners	Above Background (Assumed to be NI	D)	20 to 100 r	ıg/Kg
7.	Sampling Method (circle technique) Bailer Low flow pump (Region I method: Yes No) Peristaltic Pump Positive Displacement Pump Faucet or Spigot Split Spoon Dredge Trowel Sampling Procedures (SOP name, No., Rev. #, and date)				Other:
ı	List Background Sample Locations NA for source samples Circle Grab or Composite				
	"Hot spots" sampled:	No	· · · · · · · · · · · · · · · · · · ·		
8.	Field Data (circle) ORP pH Other:	Specific Conductance Disso	olved O ₂	Temperatu	re Turbidity
9.	Analytical Methods and Parameters				
	Method title/SOP name	Method/SOP Identification number	Revision	n Date	Target Parameters (VOA, SV, Pest/PCB, Metals, etc.)
	PCB Aroclors (Field Screening)	EIA-FLDPCB2.SOP			PCBs
	PCB Aroclors	SOM01.2 or DAS Equivalent			PCBs
	PCB Congeners	CBC01.0			PCB Congeners
10.	2. Other Validation Tier (circle one) I	on I, EPA-NE Data Validation Functional r Approved Validation Criteria: II III Partial Tier III: ta Validation Weston Solutions, Inc./STA	. , , , , , , , , , , , , , , , , , , ,		Environmental Analyses, Part II, III or IV or Subcontractor (circle one)
11.	Company Name <u>Weston Solutions, Inc.</u> Contract Name (e.g. START, RACS, et Person Completing Form/Title <u>G. Horn</u>		mber_EP-W-0 nment No201 Summary Form	14-081-998-	0850 111 January 2013

	Engineering D	/Assessment PRP Determination stent of Contamination Human and/or	Ecological Risk		Other:				
6.	Summarize DQOs: Collect ground water samples from ground water monitoring wells previously installed on and off the property for PCB Aroclors fixed based laboratory analysis. A subset of samples will be submitted for PCB Congener analysis.								
	Complete Table if applicable	Complete Table if applicable							
	V								
	COCs	Action Levels		Ana	alytical Method-Quantitation Limits				
PCB Arc	oclors (Fixed Lab)	Above Background (Assumed to be N	ND)	1.0 μg/L					
PCB Cor	ngeners	Above Background (Assumed to be N	ND)	100 to 1,0	000 pg/L				
				ļ					
		,							
-									
7.	Sampling Method (circle technique) Sampling Procedures (SOP name, No., List Background Sample Locations Graph or Composite	round Water monitoring wells TBD		Other:	Peristaltic Pump Other:				
	"Hot spots" sampled: Yes	No							
8.	Field Data (circle) ORP Oph	Specific Conductance Diss	solved O	Temperati	Turbidity				
-	Other:								
9.	Analytical Methods and Parameters								
	Method title/SOP name	Method/SOP Identification number	Revision	n Date	Target Parameters (VOA, SV, Pest/PCB, Metals, etc.)				
	PCB Aroclors	SOM01.2 or DAS Equivalent			PCBs				
	PCB Congeners	CBC01.0		-	PCB Congeners				
10.	Validation Tier (circle one) I	on I, EPA-NE Data Validation Functions or Approved Validation Criteria: II III Partial Tier III: tta Validation Weston Solutions, Inc./SI	:		Environmental Analyses, Part II, III or I				
11.	Company Name Weston Solutions, Inc. Contract Number EP-W-05-042 Contract Name (e.g. START, RACS, etc.) START III Work Assignment No. 20114-081-998-0850 Person Completing Form/Title G. Hornok/Lead Project Scientist Date of DQO Summary Form Completion 11 January 2013								

	Engineering De	Assessment PRP Determination tent of Contamination Human and/or E	Cological Risk		Matrix Code ¹ <u>SD</u> Removal Actions Remediation Alternatives Other:
			Draft DQO S	ummary Forr	m 11/96
6.	Summarize DQOs: <u>Collect sediment sam</u> analysis. A subset of samples will be su	nples from a wetland located west of Park ubmitted for fixed laboratory analysis with	Street for PCB	Aroclors field	d screening and fixed based laboratory
	Complete Table if applicable				
,	COCs	Action Levels		Ana	lytical Method-Quantitation Limits
PCB Arc	oclors (Field Screening)	Above Background (Assumed to be N	D)	0.2 mg/Kg	
	pelors (Fixed Lab)	Above Background (Assumed to be N.		33 ug/kg	
PCB Con		Above Background (Assumed to be N		20 to 100 r	ng/Kg
7.	Sampling Method (circle technique) Sampling Procedures (SOP name, No.,	Split Spoon Dredge Trow Rev. # and date)	et or Spigot vel		Peristaltic Pump Other: irect sampling
	List Background Sample Locations We Circle: Grab or Composite "Hot spots" sampled:	etalnd area northeast of the Jard Company	/ Inc property	·	
8.	Field Data (circle) ORP pH Other:	Specific Conductance Diss	olved O ₂	Temperatu	ure Turbidity
9.	Analytical Methods and Parameters	and the second 			
.	Method title/SOP name	Method/SOP Identification number	Revision	n Date	Target Parameters (VOA, SV, Pest/PCB, Metals, etc.)
	PCB Aroclors (Field Screening)	SOM01.2			PCBs
,	PCB Aroclors	SOM01.2 or DAS Equivalent			PCBs
	Total Metals (including Hg)	CBC01.0			PCB Congeners
10.	Validation Criteria (circle one) 1. Region I, EPA-NE Data Validation Functional Guidelines for Evaluating Environmental Analyses, Part II, III or IV 2. Other Approved Validation Criteria: Validation Tier (circle one) I III Partial Tier III: Company/Organization Performing Data Validation Weston Solutions, Inc./START III Prime or Subcontractor (circle one)				
11.	Company Name Weston Solutions, Inc. Contract Number EP-W-05-042 Contract Name (e.g. START, RACS, etc.) START III Work Assignment No. 20114-081-998-0850 Person Completing Form/Title G. Hornok/Lead Project Scientist Date of DQO Summary Form Completion 11 January 2013				

HRS Reference #76 Page 38 of 39

When multiple matrices will be sampled during a sampling event, complete Sections 5-10 for each matrix. Matrix Code ¹ <u>SS</u>						
5. Data l	Engineering De	ent of Contamination Human and/or Ec	ological Risk Ass		emoval Actions emediation Alternatives Other:	
			Draft DQO Sum	mary Form	11/96	
6.	Summarize DQOs: Collect surface soil sa residences for PCB Aroclors field screer samples will be submitted for fixed labo	mples from residential properties downgra ning and fixed based laboratory analysis in ratory analysis with a smaller subset subn	source areas on	the Jard Co	mpany Inc property. A subset of	
	Complete Table if applicable					
	Complete Tuote it applicable					
	COCs	Action Levels		Analy	tical Method-Quantitation Limits	
PCB Arc	pelors (Field Screening)	Above Background (Assumed to be ND)) (0.2 mg/Kg		
PCB Arc	pelors (Fixed Lab)	Above Background (Assumed to be ND))	33 ug/kg		
PCB Co	ngerners	Above Background (Assumed to be ND)) 2	20 to 100 ng	y/Kg	
7.	Sampling Method (circle technique) Bailer Low flow pump (Region I method: Yes No) Peristaltic Pump Other: Other: Direct sampling Sampling Procedures (SOP name, No., Rev. #, and date) List Background Sample Locations Residential properties located north of the Jard Company Inc property				Other:	
Circle Grab or Composite "Hot spots" sampled: Yes No				•		
8.	Field Data (circle) ORP pH Other:	Specific Conductance Disso	lved O ₂	Temperature	e Turbidity	
9.	Analytical Methods and Parameters					
	Method title/SOP name	Method/SOP Identification number	Revision I	Date	Target Parameters (VOA, SV, Pest/PCB, Metals, etc.)	
	PCB Aroclors (Field Screening)	SOM01.2			PCBs	
	PCB Aroclors	SOM01.2 or DAS Equivalent	<u></u>		PCBs	
	Total Metals (including Hg)	CBC01.0			PCB Congeners	
10.	Validation Criteria (circle one) 1. Region I, EPA-NE Data Validation Functional Guidelines for Evaluating Environmental Analyses, Part II, III or IV 2. Other Approved Validation Criteria: Validation Tier (circle one) I III Partial Tier III: Company/Organization Performing Data Validation Weston Solutions, Inc./START III Prime or Subcontractor (circle one)					
		Company Name Weston Solutions. Inc. Contract Number EP-W-05-042 Contract Name (e.g. START, RACS, etc.) START III Work Assignment No. 20114-081-998-0850 Person Completing Form/Title G. Hornok/Lead Project Scientist Date of DQO Summary Form Completion 11 January 2013				

i arameter codes it	old to retainment B, run ii
Preservation Codes ³	
1.	$HC1$ to $pH \le 2$
2.	HNO ₃
3.	NaHŠO ₄
3.1	TT 00

^{7.} 8. 9. 10. N. K₂Cr₂O₇ Freeze Room Temperature (avoid excessive heat) Other (Specify) Not preserved

^{* -} To supplement Matrix Codes and/or Parameter Codes contact the QA Unit